



# PERFILES LAMINADOS

## Ángulo

Medidas A y B (mm)	Espesores (mm) - Peso Nominal Kg/m						
	3	4	5	6	8	10	12
20	0,879						
25	1,12		1,78				
30	1,36		2,18				
40	1,84	2,42	2,97	3,52			
50	2,34	3,06	3,77	4,47			
65			4,97	5,91	7,73	9,49	
80				7,34	9,63	11,90	14,00
100				9,26	12,20	15,00	17,80



## Pletina

Ancho A (mm)	Espesores (mm) - Peso Nominal Kg/m							
	3	5	6	8	10	12	16	20
12	0,283	0,471						
16	0,377	0,628						
20	0,471	0,785	0,942	1,26	1,57	1,88		
25	0,589	0,981	1,18	1,57	1,96	2,36		
32	0,754	1,26	1,51	2,01	2,51	3,01		
38	0,895	1,49	1,79	2,39	2,98	3,58		
50	1,18	1,96	2,36	3,14	3,93	4,71		
63		2,47	2,97	3,96	4,95	5,93		
75		2,94	3,53	4,71	5,89	7,07		
100		3,93	4,71	6,28	7,85	9,42		
125							15,70	19,64
150							18,84	23,56

